ALUMIX *Decorative profiles*

FBS

FBS Profilati srl, fondata nel 1999 dalla seconda generazione imprenditoriale della nostra famiglia, è un'azienda dinamica che trae la sua essenza dal concept del "MADE IN ITALY" tramandato attraverso l'esperienza delle sue figure storiche che dal 1964 si dedicano con entusiasmo alla progettazione e produzione di profili decorativi in alluminio e serrandine. Nella nostra sede di Settimo Milanese, che si sviluppa su una superficie complessiva di 5000 m², creiamo prodotti sempre all'avanguardia e al passo con le più moderne tendenze del mondo del design per arredamento di interni a partire da materie prime di qualità eccellente.

FBS Profilati srl, founded in 1999 by the second managerial generation in our family is a dynamic company deriving its essence from the concept of "MADE IN ITALY" handed down through the experience of senior figures who have enthusiastically committed to designing and manufacturing aluminium decorative profiles and tambour doors since 1964.
In our headquarters in Settimo Milanese, covering a total area of 5000m², we create forefront and contemporary products up-to-date with modern furniture design trends using exclusively excellent raw materials.



ALUMIX

Un’ampia gamma di profili decorativi in alluminio per l’industria dell’arredo. FBS Profilati srl produce e fornisce profili in alluminio standard e speciali da catalogo, oppure personalizzati su disegno e specifiche del cliente, anche con caratteristiche tecniche e dimensionali molto elevate.
I profili in alluminio piegati a freddo prodotti da FBS Profili srl sono forniti in più di 20 diverse finiture. Quest’ultime si raggruppano essenzialmente in due macro categorie: le finiture di anodizzazione e quelle di verniciatura. Durante il processo di produzione, la scelta della profilatura a freddo ha permesso di contenere al minimo impatto ambientale poiché il materiale viene lavorato a temperatura ambiente senza la necessità macchinari aggiuntivi.

A wide range of standard and tailor made decorative aluminium profiles for the design industry. FBS Profilati srl produces and supplies standard and special aluminum profiles. From the stock items to completely customized ones according to thecustomer's design and specifications, even with particularly high technical and dimensional characteristics.
The roll formed aluminum profiles produced by FBS Profilati srl are supplied in more than 20 different finishes which are divided in two macro categories: anodized or pre-painted. During the production process, the choice of environmentally friendly roll forming technology has made it possible to keep to the minimum the environmental impact since the material is formed in cold conditions without the need for extra tooling.

lavorazioni su misura
custom made products

profilatura a freddo
cold roll-forming

progettazione
di nuovi prodotti
design of new products



materiali riciclabili
recyclable materials

Inserti decorativi
Decorative inserts

Profili decorativi
Decorative profile

INSERTI DECORATIVI
DECORATIVE INSERTS



ESTRUSI
EXTRUDED

Tipologia di fissaggio
a incasso
Fixing procedure: inset

da pag. 8 a pag. 9
from pag. 8 to pag. 9



PROFILATI A FREDDO
ROLL-FORMED PROFILES

Tipologia di fissaggio
a incasso
Fixing procedure: inset

da pag. 11 a pag. 12
from pag. 11 to pag. 12



BANDELLE
STRIPES

Tipologia di fissaggio
a incasso o esterno
Fixing procedure:
inset or surface mounted

da pag. 13 a pag. 15
from pag. 13 to pag. 15



PROFILATI DECORATIVI
DECORATIVE PROFILES

Tipologia di fissaggio
a incasso o esterno
Fixing procedure:
inset or surface mounted

pag. 16
pag. 16

Prezzo *Price*

● ● ● ●	● ● ○ ○	● ○ ○ ○	● ● ● ○

Tenuta *Holding*

● ● ● ○	● ● ● ○	● ● ● ○	● ● ● ○

Finiture *Finishing*

ANODIZZATI
ANODIZED

- **A** - *brushed*
- **A2** - *inox brushed*
- **B** - *mill finish*
- **B2** - *mill finish inox*
- **SN** - *sat nat*
- **BR2** - *matt bronze*
- **B3** - *mill gold*
- **RA** - *matt copper*
- **RA2** - *polished copper*
- **D** - *chrome*
- **D6** - *gold chrome*
- **D2** - *gold*

PREVERNICIATI
PREPAINTED

- **M3** - *white*
- **U9** - *anthracite*
- **U5** - *alumatt*
- **U6** - *inox*
- **U8** - *brushed bronze*
- **M4** - *matt white*
- **L1** - *polished black*
- **L2** - *matt black*
- **MO01** - *mahogany*
- **FR01** - *ash*
- **NC01** - *walnut*

45

ESTRUSO
EXTRUDED

Profili in alluminio estruso
da incasso per porte,
boiserie e mobili
Inset extruded aluminium profile
for doors, wooden panelling and furniture

Colori disponibili
available colours

ANODIZZATI
ANODIZED

SN - *satnat*

D - *chrome*

D6 - *brass gold*







taglio a 90°
90° cutting



raggio a 3 mm
3 mm radius
solo per FBS 7106
only for FBS 7106



R min.150
solo per FBS 7106
estruso curvabile
only for FBS 7106
extrudate bendable

Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 7520
Aste standard mm 2500
Standard bars mm 2500



CODICE
CODE

FBS 7106
Estruso curvabile
Extruded bendable
Aste standard mm 2500
Standard bars mm 2500



FBS 7106
Aste standard mm 3000
Standard bars mm 3000



FBS 7215
Aste standard mm 3000
Standard bars mm 3000

Possibilita' di avere i profili gia' tagliati a misura anche con raggiatura e biadesivo.
It is possible to have the profiles already cut to size with radiusing and self-adhesive.

BAUHAUS

PROFILATI A FREDDO
ROLL FORMED

Profili in alluminio profilato a freddo ideali per la decorazione di porte, boiserie e arredo.
Roll-formed aluminium profile for door, boiserie and furniture.

Lunghezza barre 3000 mm. Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm. It is possible to have the profiles already cut to size.



taglio a 90°
90° cutting



raggio a 3 mm
3 mm radius
solo per FBS 2106
only for FBS 2106



raggio a 5 mm
5 mm radius
solo per FBS 2110
only for FBS 2110

Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 2105



FBS 2106



FBS 2110

CODICE
CODE



FBS 2105-BD BIADESIVO
SELF-ADHESIVE



FBS 2106-BD BIADESIVO
SELF-ADHESIVE

PROFILATI A FREDDO
ROLL FORMED

Profili in alluminio profilato
a freddo da incasso per porte,
boiserie e arredo
Roll-formed aluminium profile
for door, boiserie and furniture

Lunghezza barre 3000 mm.
Possibilita' di avere i profili
gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles
already cut to size.



taglio a 90°
90° cutting



raggio a 3 mm
3 mm radius
solo per FBS 2106
only for FBS 2106



raggio a 5 mm
5 mm radius
solo per FBS 2110
only for FBS 2110

Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 2106 WIND



CODICE
CODE

FBS 2106 BD - WIND
BIADESIVO
SELFADHESIVE



FBS 2110 WIND



FBS 2110 BD - WIND
BIADESIVO
SELFADHESIVE

Combinazioni colori *color combinations*



BANDELLE
STRIPS

Bandelle autoadesive per porte, infissi e arredamento
Self-adhesive strips for doors, fixtures and furniture

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



STANDARD
taglio a 90°
90° cutting

WIND
taglio a 90°
90° cutting



Varianti *options*

misure in mm
dimensions in mm



BANDELLE ST
STANDARD STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006	H: 6 mm
FBS 8008	H: 8 mm
FBS 8010	H: 10 mm
FBS 8012	H: 12 mm
FBS 8014	H: 14 mm
FBS 8016	H: 16 mm
FBS 8018	H: 18 mm
FBS 8020	H: 20 mm
FBS 8022	H: 22 mm
FBS 8024	H: 24 mm
FBS 8030	H: 30 mm
FBS 8040	H: 40 mm
FBS 8060	H: 60 mm



BANDELLE BD
SELF-ADHESIVE STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006-BD	H: 6 mm
FBS 8008-BD	H: 8 mm
FBS 8010-BD	H: 10 mm
FBS 8012-BD	H: 12 mm
FBS 8014-BD	H: 14 mm
FBS 8016-BD	H: 16 mm
FBS 8018-BD	H: 18 mm
FBS 8020-BD	H: 20 mm
FBS 8022-BD	H: 22 mm
FBS 8024-BD	H: 24 mm
FBS 8030-ST	H: 30 mm
FBS 8040-ST	H: 40 mm
FBS 8060-ST	H: 60 mm



BANDELLE WIND ST
STANDARD STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006	H: 6 mm
FBS 8008	H: 8 mm
FBS 8010	H: 10 mm
FBS 8012	H: 12 mm
FBS 8014	H: 14 mm
FBS 8016	H: 16 mm
FBS 8018	H: 18 mm
FBS 8020	H: 20 mm
FBS 8022	H: 22 mm
FBS 8024	H: 24 mm
FBS 8030	H: 30 mm
FBS 8040	H: 40 mm
FBS 8060	H: 60 mm



BANDELLE WIND BD
SELF-ADHESIVE STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006-BD	H: 6 mm
FBS 8008-BD	H: 8 mm
FBS 8010-BD	H: 10 mm
FBS 8012-BD	H: 12 mm
FBS 8014-BD	H: 14 mm
FBS 8016-BD	H: 16 mm
FBS 8018-BD	H: 18 mm
FBS 8020-BD	H: 20 mm
FBS 8022-BD	H: 22 mm
FBS 8024-BD	H: 24 mm
FBS 8030-BD	H: 30 mm
FBS 8040-BD	H: 40 mm
FBS 8060-BD	H: 60 mm

BANDELLE
STRIPS

Bandelle autoadesive per porte, infissi e arredamento
Self-adhesive strips for doors, fixtures and furniture

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.





Varianti *options*

misure in mm
dimensions in mm



BANDELLE ST
STANDARD STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006	H: 6 mm R: 3 mm
FBS 8008	H: 8 mm R: 4 mm
FBS 8010	H: 10 mm R: 5 mm



BANDELLE BD
SELF-ADHESIVE STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006-BD	H: 6 mm R: 3 mm
FBS 8008-BD	H: 8 mm R: 4 mm
FBS 8010-BD	H: 10 mm R: 5 mm



BANDELLE WIND
STANDARD STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006	H: 6 mm R: 3 mm
FBS 8008	H: 8 mm R: 4 mm
FBS 8010	H: 10 mm R: 5 mm



WIND BIADESIVO
SELF-ADHESIVE STRIPS

CODICE *CODE*	MISURE *MEASURES*
FBS 8006-BD	H: 6 mm R: 3 mm
FBS 8008-BD	H: 8 mm R: 4 mm
FBS 8010-BD	H: 10 mm R: 5 mm

Altre misure di larghezza su richiesta fino a 150 mm
other width measures upon request up to 150 mm

PROFILI DECORATIVI PER VETRO
DECORATIVE PROFILE FOR GLASS

Profili con biadesivo per porte a vetro

Self-adhesive profile for glass doors

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm *dimensions in mm*	**CODICE** *CODE*
	**FBS 2038-BD**
	**FBS 2040-BD**
	**FBS 2041-BD**

FISSAGGIO
MOUNTING



1. Rimuovere il film del biadesivo.
Remove film from the self-adhesive strip.



2. Incollare con una leggera pressione il profilo sulla superficie.
Stick the profile onto the surface applying a light pressure.

WALTER FINANCE

PROFILI DECORATIVI
DECORATIVE PROFILE



PROFILATI A T
T-PROFILES

Tipologia di fissaggio a collante
Fixing procedure: by glue

da pag. 21 a pag. 24
from pag. 21 to pag. 24



BORDI
BORDERS

Tipologia di fissaggio incastro
Fixing procedure: interlock

da pag. 26 a pag. 31
from pag. 26 to pag. 31



FERMAVETRI
GLASS FIX

Tipologia di fissaggio autoadesivo
Fixing procedure: self adhesive

da pag. 32 a pag. 34
from pag. 32 to pag. 34



PROFILATI DECORATIVI PER VETRO
DECORATIVE PROFILES FOR GLASS

Tipologia di fissaggio autoadesivo
Fixing procedure: self adhesive

da pag. 35 a pag. 37
from pag. 33 to pag. 37

Finiture *Finishing*

ANODIZZATI
ANODIZED

- **A** *- brushed*
- **A2** *- inox brushed*
- **B** *- mill finish*
- **B2** *- mill finish inox*
- **SN** *- sat nat*
- **BR2** *- matt bronze*
- **B3** *- mill gold*
- **RA** *- matt copper*
- **RA2** *- polished copper*
- **D** *- chrome*
- **D6** *- gold chrome*
- **D2** *- gold*

PREVERNICIATI
PREPAINTED

- **M3** *- white*
- **U9** *- anthracite*
- **U5** *- alumatt*
- **U6** *- inox*
- **U8** *- brushed bronze*
- **M4** *- matt white*
- **L1** *- polished black*
- **L2** *- matt black*
- **MO01** *- mahogany*
- **FR01** *- ash*
- **NC01** *- walnut*

PROFILI A T
T PROFILES

Profili in alluminio con gambo a T
Anima in polistirene rivestito in alluminio. Ideale per porte, boiserie e arredo.

T moulding aluminium profiles.
Aluminum coated polystyrene core.
Ideal for door, boiserie and furnitures

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 3108



FBS 3205



FBS 3006



FBS 3338



FBS 3415

CODICE
CODE



FBS 3304



FBS 3382



FBS 3112

Polistirene
Polystyrene

Alluminio
Aluminium

PROFILI A T
T PROFILES

Profili in alluminio con gambo a T
Anima in polistirene rivestito in alluminio. Ideale per porte, boiserie e arredo.

T moulding aluminium profiles.
Aluminum coated polystyrene core.
Ideal for door, boiserie and furnitures

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 3216



FBS 3556



FBS 3219



FBS 3416



FBS 3011



FBS 3016



FBS 3535



FBS 3537



FBS 3411



FBS 3502

Polistirene
Polystyrene

Alluminio
Aluminium

PROFILI A T
T PROFILES

Profili in alluminio con gambo.
Anima in polistirene rivestito
in alluminio. Ideale per pannelli.
T moulding aluminium profiles.
Aluminum coated polystyrene core.
Ideal for panels.

Lunghezza barre 3000 mm.
Possibilita' di avere i profili
gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles
already cut to size.



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 3018



FBS 3020



FBS 3025



FBS 3030



FBS 3526

CODICE
CODE



FBS 3228



FBS 3022



FBS 3023



FBS 3270

Polistirene
Polystyrene

Alluminio
Aluminium

PROFILI PER BORDATURA
BORDER PROFILE

Profili in alluminio per bordatura vetri e pannelli

Aluminium panel and glass border profile

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

	CODICE *CODE*		CODICE *CODE*
	**FBS 1336**		**FBS 1341**
	**FBS 1337**		**FBS 1342**
	**FBS 1338**		**FBS 1343**
	**FBS 1339**		**FBS 1344**
	**FBS 1340**		**FBS 1350**

PROFILI PER BORDATURA
BORDER PROFILE

Profili in alluminio per bordatura vetri e pannelli

Aluminium panel and glass border profile

Lunghezza barre 3000 mm. Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm. It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

	CODICE *CODE*		CODICE *CODE*
	**FBS 1002**		**FBS 1008**
	**FBS 2052**		**FBS 1010**
	**FBS 1003**		**FBS 1012**
	**FBS 1004**		**FBS 1014**
	**FBS 1006**		**FBS 1016**

PROFILI PER BORDATURA
BORDER PROFILE

Profili in alluminio per bordatura vetri e pannelli

Aluminium panel and glass border profile

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 1017



FBS 1018



FBS 1019



FBS 1020



FBS 1021

CODICE
CODE



FBS 1022



FBS 1024



FBS 1026



FBS 1028



FBS 1030

PROFILI PER BORDATURA
BORDER PROFILE

Profili in alluminio per bordatura vetri e pannelli

Aluminium panel and glass border profile

Lunghezza barre 3000 mm. Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm. It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 1040



FBS 1050



FBS 1060

CODICE
CODE



FBS 1404



FBS 1205



FBS 1210



FBS 1211



FBS 1212

PROFILI PER BORDATURA
BORDER PROFILE

Profili in alluminio per bordatura vetri e pannelli

Aluminium panel and glass border profile

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

	CODICE *CODE*		CODICE *CODE*
	**FBS 1216**		**FBS 2021**
	**FBS 1208**		**FBS 2022**
	**FBS 1215**		**FBS 2023**
	**FBS 1218**		**FBS 1220**
	**FBS 1220**		

PROFILI PER BORDATURA
BORDER PROFILE

Profili in alluminio per bordatura vetri e pannelli

Aluminium panel and glass border profile

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

	CODICE *CODE*		CODICE *CODE*
	**FBS 1501**		**FBS 2017**
	**FBS 2019**		**FBS 2018**
	**FBS 2015**		
	**FBS 2061**		
	**FBS 2016**		



FERMAVETRI
GLASS-FIX

Profilo decorativo fermavetro con biadesivo

Aluminium panel and glass border profile

Profilo fermavetro in Polistirene con biadesivo

Polystyrene glazing bead profile with double-sided adhesive

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

	CODICE *CODE*		CODICE *CODE*	
	**FBS 1236**		**FBS 6204**	
	**FBS 2077**		**FBS 6205**	
	**FBS 2055**		**FBS 6206**	

Polistirene
Polystyrene

Alluminio
Aluminium

Angolari in ABS metallizzati *metallic ABS corner*



FBS 9075
per *for* FBS 1236



FBS 9077
per *for* FBS 2077



FBS 9455
per *for* FBS 2055



Angolo sagomato antideposito
Anti-deposit shaped corner

FERMAVETRI
GLASS-FIX

Profilo decorativo con biadesivo per porte e sportelli

Decorative self-adhesive profile for glass doors ad cupboard doors

Lunghezza barre 3000 mm.
Possibilita' di avere i profili gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 918-D

CODICE
CODE



FBS 1193-BD

Accessori in ABS metallizzati per FBS 918-D *metal ABS accessories for FBS 918-D*



FBS 9052



FBS 9053



FBS 9055



FBS 9056



FBS 9057



FBS 9058

Accessori in ABS metallizzati per FBS 1193 *metal ABS accessories for FBS 1193*



FBS 9193



FBS 9194



FBS 9195



FBS 9196



FBS 9197

FISSAGGIO *MOUNTING*



1. Rimuovere il film del biadesivo.
Remove film from the self-adhesive strip.



2. Inserire i giunti.
Insert the joins.



3. Incollare con una leggera pressione il profilo sulla superficie.
Stick the profile onto the surface applying a light pressure.

PROFILI PER CORNICI
FRAMES

Specchiere con anima
in polistirene rivestita
di alluminio.
Mirrors with aluminium-coated polystyrene core.

Lunghezza barre 3000 mm.
Possibilita' di avere i profili
gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



ASSEMBLAGGIO STANDARD
STANDARD ASSEMBLY



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 3046
Profilo perimetrale
Frame profile

Polistirene
Polystyrene

Alluminio
Aluminium

Accessori in ABS per FBS 3046 *ABS accessories for FBS 3046*



FBS 9446
per *for* FBS 3046
Angolo a scomparsa
hidden corner



FBS 9447
per *for* FBS 3046
Flangia paraspigoli
securing flange





FBS 9447
Assemblaggio
con flangia
Assembly with flange

PROFILI PER CORNICI
FRAMES

Specchiere con anima
in polistirene rivestita
di alluminio.
Mirrors with aluminium-coated polystyrene core.

Lunghezza barre 3000 mm.
Possibilita' di avere i profili
gia' tagliati a misura.
Standard bars 3000 mm.
It is possible to have the profiles already cut to size.



ASSEMBLAGGIO CON FLANGIA
ASSEMBLY WITH FLANGE



Varianti *options*

misure in mm
dimensions in mm

CODICE
CODE



FBS 3045
Profilo perimetrale
Frame profile

CODICE
CODE



FBS 2133
SAT-NAT

Polistirene
Polystyrene

Alluminio
Aluminium

Accessori in ABS per FBS 3045 *ABS accessories for FBS 3045*



FBS 9445
per *for* FBS 3045
Angolo a scomparsa
hidden corner



FBS 9444
per *for* FBS 3045
Flangia paraspigoli
securing flange





FBS 9444
Assemblaggio
standard
Standard assembly

Accessori in ABS per FBS 2133 *ABS accessories for FBS 2133*



FBS 9433
per *for* FBS 2133
Angolo a scomparsa
hidden corner

FINITURE *FINISHING*

ANODIZZATI *ANODIZED*



A - *brushed*

A2 - *inox brushed*



B - *mill finish*

B2 - *mill inox*



SN - *sat nat*



BR2 - *matt bronze*



B3 - *mill gold*



RA - *copper*



RA2 - *polished copper*

D - *chrome*

D2 - *gold*

D6 - *brass gold*

PREVERNICIATI *PREPAINTED*



M3 - *white*



M4 - *matt white*



U6 - *inox*

U8 - *brushed bronze*



U5 - *alumatt*

U9 - *anthracite*



L1 - *polished black*

L2 - *matt black*



MO01 - *mahogany*

FR01 - *ash*

NC01 - *walnut*



Wind
Disponibile per tutte le finiture *Available for all finishing*

Specifiche *Technical details*

ALLUMINIO MICROFORATO

Con aperture rotonde e sfalsate, il metallo perforato è un materiale industriale utilizzato in numerosi progetti di interni.
Con la sua trasparenza, il materiale funziona bene con altri elementi e aiuta a creare profondità. È apprezzato soprattutto per la sua qualità grafica e l'effetto ottico che produce quando viene stratificato.

ALUMINIUM PERFORATED

With round and staggered openings, perforated metal is an industrial material that is used in a number of interior projects.
With its transparency, the material works well with other elements and helps create depth. It mostly appreciated for its graphic quality and the optical effect it produces when layered.



MACCHINARI PER LA TRONCATURA
CUTTING MACHINERY



FBS 7700

Troncatore manuale per bandelle
Manual cutting machine for strips.

Comprensivo di uno stampo a scelta tra
Including a mold to choose from :
FBS 7701 (per troncatura profilo *for cutting profile* FBS 8006 e 2106 e R3)
FBS 7704 (per troncatura profilo *for cutting profile* FBS 8008 90° e R4)
FBS 7702 (per troncatura profilo *for cutting profile* FBS 8010 90° e R5)



FBS 7800

Troncatore pneumatico a un pistone per bandelle
Pneumatic cutting machine with a piston for strips.

Comprensivo di uno stampo a scelta tra
Including a mold to choose from :
FBS 7701 (per troncatura profilo *for cutting profile* FBS 8006 e 2106 e R3)
FBS 7704 (per troncatura profilo *for cutting profile* FBS 8008 90° e R4)
FBS 7702 (per troncatura profilo *for cutting profile* FBS 8010 90° e R5)

Stampi per FBS 8006, FBS 8008, FBS 8010, FBS 2106



FBS 7701
R3



FBS 7704
R4 - 90°



FBS 7702
R5 - 90°

ART DIRECTION
Gio Tirotto / giotirotto.it

PHOTO CREDITS
Federico Villa / federicovilla.it

IMAGE PRODUCTION
Buildest / buildest.it

PRINT
Furlan Grafica / furlangrafica.com

COPYRIGHT 2020
FBSProfilati srl

SCOPRI TUTTI I NOSTRI PRODOTTI SU
DISCOVER OUR FULL PRODUCT RANGE AT

fbsprofilati.it

Il presente catalogo è di proprietà
di FBSProfilati S.r.l. Tutti i diritti riservati.
Sono vietate riproduzione e alterazione.
Illustrazioni e dati contenuti in questo catalogo
hanno valore indicativo. Per una corretta installazione
fare riferimento ai manuali.

This catalogue is property of FBSProfilati S.r.l.
All rights reserved.
The reproduction and alteration are forbidden.
All illustrations and informations in this catalogue
are indicative. For a correct installation please refer
to the assembly instructions manuals.

FBS

PROFILATI ITALIANI

FBSProfilati srl

Via Edison, 251
20019 Settimo Milanese MI - Italia

phone: +39 024564768 | +39 0248916411
fax: +39 0245329991

info@fbsprofilati.it

www.fbsprofilati.it