

ALUROLL *Kit models*




FBS Profilati srl, fondata nel 1999 dalla seconda generazione imprenditoriale della nostra famiglia, è un'azienda dinamica che trae la sua essenza dal concept del “MADE IN ITALY” tramandato attraverso l’esperienza delle sue figure storiche che dal 1964 si dedicano con entusiasmo alla progettazione e produzione di profili decorativi in alluminio e serrandine.

Nella nostra sede di Settimo Milanese, che si sviluppa su una superficie complessiva di 5000 m², creiamo prodotti sempre all'avanguardia e al passo con le più moderne tendenze del mondo del design per arredamento di interni a partire da materie prime di qualità eccellente.

FBS Profilati srl, founded in 1999 by the second managerial generation in our family, is a dynamic company deriving its essence from the concept of “MADE IN ITALY” handed down through the experience of senior figures who have enthusiastically committed to designing and manufacturing aluminium decorative profiles and tambour doors since 1964.

In our headquarters in Settimo Milanese, covering a total area of 5000m², we create forefront and contemporary products up-to-date with modern furniture design trends using exclusively excellent raw materials.



ALUROLL

Sistemi di serrandine in kit e su misura , pronte all'uso: la perfetta combinazione fra alte prestazioni e estetica. Rappresentano una soluzione versatile che intercetta le esigenze di chi cerca una modalità pratica e accattivante per realizzare chiusure di mobili e vani. Risparmio di spazio ed organizzazione sono i vantaggi offerti dalla nostra ampia gamma senza trascurare un tocco lussuoso e di stile.

I nostri vibranti colori, dai classici anodizzati ai più contemporanei pre-vernicati, garantiscono una completa personalizzazione del prodotto.

Ready-to-use kit and custom-made roller shutter systems: the perfect combination of performance and aesthetics.

Aluroll represent a versatile solution for those looking for a practical and smart way to close furniture and niches. Space saving and organization are the main advantages offered by our wide range of tambour boxes without neglecting a touch of luxury and style.

Our vibrant colors, from classic anodized to more contemporary pre-painted finishes, grant you plenty of customization options.



materiali riciclabili
recyclable materials



qualità
quality




resistenza
endurance




leggerezza
lightness

Opzioni di stile Style options



STANDARD
Il modello standard prevede i fianchi in alluminio a copertura dei pannelli del mobile

The standard model has aluminium side profiles covering the cabinet boards



MINIMAL
Il modello minimal è progettato per un design essenziale che mantiene a vista i pannelli del mobile

The minimalist model is designed for a simple style that allows the furniture boards to be visible

Varianti di doghe Slats options


Esclusivo sistema di microforatura delle doghe in alluminio
Exclusive microperturbation system for aluminium slats



SOLID



WIND



WIND MIX

new

Tambour Box

| | |
|-----------------|---------|
| TB1 Standard | pag. 6 |
| TB2 Minimal | pag. 10 |
| TB3 Standard 22 | pag. 12 |

Box Milano

| | |
|-------------------|---------|
| BM1 Standard | pag. 16 |
| BM2 Minimal | pag. 20 |
| BM3 Maxi Standard | pag. 22 |
| BM4 Maxi Minimal | pag. 24 |
| BM5 Standard 22 | pag. 26 |
| BM6 Maxi 22 | pag. 28 |

Top System

| | |
|-----------------------|---------|
| TS1 9211 | pag. 32 |
| TS2 9227 | pag. 36 |
| TS3 9227 Minimal | pag. 38 |
| TS4 9226 | pag. 40 |
| TS5 9226 Minimal | pag. 42 |
| TS6 Maxi 9226 | pag. 44 |
| TS7 Maxi 9226 Minimal | pag. 46 |

Special System

| | |
|------------------|---------|
| SP1 9199 Minimal | pag. 50 |
| SP2 9200 Minimal | pag. 54 |
| SP3 9207 Minimal | pag. 56 |
| SP4 9201 Inset | pag. 58 |

Horizontal

| | |
|--------------------------|---------|
| HR1 Standard | pag. 62 |
| HR2 Minimal | pag. 66 |
| HR3 Twins | pag. 68 |
| HR4 Twins Minimal | pag. 70 |
| HR5 Glass Milano Minimal | pag. 72 |

Motoroll

| | |
|------------------|---------|
| MR1 9211 | pag. 76 |
| MR2 9227 | pag. 80 |
| MR3 9226 | pag. 82 |
| MR4 9226 Minimal | pag. 84 |

Glass Milano

| | |
|------------------------------|---------|
| GM1 Standard | pag. 88 |
| GM2 Minimal | pag. 92 |
| GM3 Motor Glass 9226 | pag. 94 |
| GM4 Motor Glass 9226 Minimal | pag. 96 |

Jolly System

| | |
|-------------------------|----------|
| JS1 Alu Minimal | pag. 100 |
| JS2 Glass Minimal | pag. 104 |
| JS3 Motor Minimal | pag. 106 |
| JS4 Motor Glass Minimal | pag. 108 |

Finiture finishing

pag. 112

Specifiche tecniche

technical specifications


pag. 113





TB1 Tambour Box

Standard



misure in mm - dimensions in mm

| | |
|--|--------------|
| SPESORE PANNELLO BOARD THICKNESS | 16/18/19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 510 x 104 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |



installazione rapida
fast installation




minimo ingombro
minimum encumbrance




doghe in alluminio
aluminium slats

Il nuovo modello studiato per rispondere alla crescente necessità di riporre piccoli elettrodomestici e robot da cucina. Nella versione con doghe microforate consente anche un'ottima dissipazione del calore generato dagli elettrodomestici.

A new model designed for storing small appliances and kitchen robots. Thanks to the micro-perforated slats it provides excellent heat dissipation and air circulation inside the cabinet.



Kit Tambour Box Standard




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 (pannelli da 18 - 19 mm)
FBS7515 (pannelli da 16 mm)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7519 (pannelli da 18 - 19 mm)
FBS7516 (pannelli da 16 mm)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7547 + FBS2010 (maniglia handle)

TB2 Tambour Box

Minimal



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESORE PANNELLO BOARD THICKNESS | qualsiasi / any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 530 x 104 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |



installazione rapida
fast installation




minimo ingombro
minimum encumbrance




doghe in alluminio
aluminium slats

Le stesse caratteristiche del Tambour Box Standard in una versione dal design Minimal che lascia a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same characteristics as the standard Tambour box in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.



Kit Tambour Box Minimal




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

A PROFILO TOP TOP PROFILE MINIMAL




FBS7556

B PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


C PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

TB3 Tambour Box

Standard 22



misure in mm - dimensions in mm

| | |
|--|--------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16/18/19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 510 x 104 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |



installazione rapida
fast installation




minimo ingombro
minimum encumbrance




doghe in alluminio
aluminium slats

In questa versione TambourBox si utilizzano guide più profonde per compensare lateralmente ante adiacenti con spessore mm 22.

In this version of TambourBox, wider guides are used to compensate for the side of adjacent doors with a thickness of 22 mm.



Kit Tambour Box Standard 22




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7618, 7615 (compensano superiormente ante con spessore 22 mm)
compensate upper panels with thickness of 22 mm

(B) PROFILO GUIDA GUIDE PROFILE



FBS7619, FBS7616 (compensano lateralmente ante con spessore 22 mm)
compensate laterally for panels with a thickness of 22 mm


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7547 + FBS2010 (maniglia handle)

TAMBOUR BOX

Modulo d'ordine order sheet




MODELLO MODEL TB1 TB2 TB3

| A | B | C | D | QUANTITY |
|---|---|---|---|----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |


Misure esterne mobile Cabinet external dimensions

Compilare il presente modulo in tutte le sue parti per una corretta registrazione dell'ordine
Fill in this sheet in full for a correct processing of the order


Varianti options



standard




wind mix




wind


N.B. Per i Kit con doghe wind microforate viene usato il compensatore FBS 9294-C
For Kits with wind microperforated slats, the FBS 9294-C compensator is used.




FBS2020




FBS2125




FBS2000




FBS2025




FBS2140




FBS2142




box senza base
box without base




box con base
box with base



FBS2010
maniglia intermedia extra
extra intermediate handle



FBS2060
profilo coprivity
screw cover profile



FBS7540
serratura lock

Finitura Finishing

ANODIZZATI ANODIZED

- A - brushed
- B2 - mill inox
- RA - copper
- A2 - inox brushed
- BR2 - matt bronze
- B3 - mill gold
- B - mill finish
- SN - sat nat

SOFT COLLECTION (FBS2142)

- SC01 - L2 + Giallo Kashmir
- SC04 - L2 + Verde Brac
- SC07 - U9 + Grigio Londra
- SC10 - BR2 + Rosso Jaipur
- SC02 - L2 + Rosso Askja
- SC05 - L2 + Azzurro Naxos
- SC08 - U9 + Blu Fes
- SC11 - SN + Grigio Efeso
- SC03 - L2 + Nero Ingo
- SC06 - M4 + Bianco Malè
- SC09 - BR2 + Castoro Ottawa
- SC12 - SN + Verde Comodoro

Alcune doghe non sono disponibili per tutti i modelli di serrandine e non sono disponibili in tutte le finiture
Some slats are not available for all rolling shutter models and are not available in all finishing

PREVERNICIATI PREPAINTED

- U5 - alumatt
- M4 - matt white
- U7 - olive green
- U6 - inox
- L2 - matt black
- U9 - anthracite
- M3 - polished white
- U8 - brushed bronze









BM1 BoxMilano

Standard

Video istruzioni di montaggio
Assembly instruction video



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 300 x 134 mm |
| ARRETRAMENTO RIPANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats




installazione rapida
fast installation

Il nostro kit più versatile e venduto.
Fornito con compensatore di peso
pre-caricato.
Si fissa al mobile velocemente con
sole 6 viti ed è testato CATAS per oltre
20.000 cicli di apertura e chiusura.

*Our most versatile and best selling kit.
It is supplied in a pre-assembled
cassette with a weight compensator.
It's quickly installed into the cabinet
with only 6 screws and it has been
certified by CATAS for more than
20,000 opening and closing cycles.*



Kit BoxMilano




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

A PROFILO TOP TOP PROFILE




FBS7518 (pannelli da panels from 18 - 19 mm)
FBS7515 (pannelli da panels from 16 mm)

B PROFILO GUIDA GUIDE PROFILE



FBS7519 (pannelli da panels from 18 - 19 mm)
FBS7516 (pannelli da panels from 16 mm)


C PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7512 + FBS2010 (maniglia handle)

BM2 BoxMilano

Minimal



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi / any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 320 x 134 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats




installazione rapida
fast installation

Le stesse caratteristiche del celebre BoxMilano in una versione dal design Minimal che lascia a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same characteristics as the popular BoxMilano in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.



Kit BoxMilano Minimal



Plastica riciclabile
Recyclable plastic


100% Alluminio
100% Aluminium

*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

A PROFILO TOP TOP PROFILE MINIMAL




FBS7556

B PROFILO GUIDA GUIDE PROFILE MINIMAL




FBS7554 + FBS2063 (decoro decor)

C PROFILO CON MANIGLIA
PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

BM3 Maxi BoxMilano



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 430 x 134 mm |
| ARRETRAMENTO RIPANI SHELVES SETBACK | 50 mm |



doghe in alluminio
aluminum slats




installazione rapida
fast installation




grande formato
large size

Maxi nelle misure e nelle prestazioni. Con una cassetta di raccolta leggermente più profonda potrete raggiungere altezze di oltre 2 metri. Un compensatore di peso maggiorato garantisce scorrevolezza, leggerezza e precisione al movimento della serrandina.

Maxi in size and performances. With a slightly bigger cassette you can reach heights of over 2 meters with this model. Two weight compensators guarantee a smooth, light and precise shutter's movement.



Kit Maxi BoxMilano




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFIL TOP TOP PROFILE




FBS7518 (pannelli da panels from 18 - 19 mm)
FBS7515 (pannelli da panels from 16 mm)

(B) PROFIL GUIDA GUIDE PROFILE



FBS7519 (pannelli da panels from 18 - 19 mm)
FBS7516 (pannelli da panels from 16 mm)


(C) PROFIL CON MANIGLIA PROFILE WITH HANDLE



FBS7512 + FBS2010 (maniglia handle)

BM4 Maxi BoxMilano

Minimal



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESORE PANNELLO BOARD THICKNESS | qualsiasi / any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 450 x 134 mm |
| ARRETRAMENTO RIPANI SHELVES SETBACK | 50 mm |



doghe in alluminio
aluminum slats




installazione rapida
fast installation




grande formato
large size

Le stesse caratteristiche del Maxi BoxMilano in una versione dal design Minimal che lascia a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same characteristics as the Maxi BoxMilano in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.



Kit Maxi BoxMilano Minimal




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

A PROFILO TOP TOP PROFILE MINIMAL




FBS7556

B PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


C PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

BM5 BoxMilano

Standard 22



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 300 x 134 mm |
| ARRETRAMENTO RIPANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats




installazione rapida
fast installation

In questa versione del BoxMilano si utilizzano guide più profonde per compensare lateralmente ante adiacenti con spessore mm 22.

In this version of BoxMilano, wider guides are used to compensate for the side of adjacent doors with a thickness of 22 mm.



Kit BoxMilano Standard 22




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7618, 7615 (compensano superiormente ante con spessore 22 mm)
(compensate upper panels with thickness of 22 mm)

(B) PROFILO GUIDA GUIDE PROFILE




FBS7619, FBS7616 (compensano lateralmente ante con spessore 22 mm)
(compensate laterally for panels with a thickness of 22 mm)

(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7512 + FBS2010 (maniglia handle)

BM6 Maxi BoxMilano 22



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 300 x 134 mm |
| ARRETRAMENTO RIPANI SHELVES SETBACK | 50 mm |



doghe in alluminio
aluminum slats




installazione rapida
fast installation




grande formato
large size

In questa versione del Maxi BoxMilano si utilizzano guide più profonde per compensare lateralmente ante adiacenti con spessore mm 22.

In this version of BoxMilano wider guides are used to compensate for the side of adjacent doors with a thickness of 22 mm.



Kit Maxi BoxMilano 22




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7618, 7615 (compensano superiormente ante con spessore 22 mm)
(compensate upper panels with thickness of 22 mm)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7619, FBS7616 (compensano lateralmente ante con spessore 22 mm)
(compensate laterally for panels with a thickness of 22 mm)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7512 + FBS2010 (maniglia handle)

BOX MILANO

Modulo d'ordine order sheet




MODELLO MODEL BM1 BM2 BM3 BM4 BM5 BM6

| A | B | C | D | QUANTITY |
|---|---|---|---|----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |


Misure esterne mobile Cabinet external dimensions

Compilare il presente modulo in tutte le sue parti per una corretta registrazione dell'ordine
Fill in this sheet in full for a correct processing of the order


Varianti options




standard




wind mix




wind




FBS2020




FBS2125




FBS2000



box senza base
box without base





box con base
box with base




FBS2010
maniglia intermedia extra
extra intermediate handle



N.B. Per i Kit con doghe wind microforate viene usato il compensatore FBS 9294-C
For Kits with wind microperforated slats, the FBS 9294-C compensator is used.



FBS2140



FBS2142

Finitura Finishing

ANODIZZATI ANODIZED

- A - brushed
- B2 - mill inox
- RA - copper
- A2 - inox brushed
- BR2 - matt bronze
- B3 - mill gold
- B - mill finish
- SN - sat nat

SOFT COLLECTION (FBS2142)

- SC01 - L2 + Giallo Kashmir
- SC04 - L2 + Verde Brac
- SC07 - U9 + Grigio Londra
- SC10 - BR2 + Rosso Jaipur
- SC02 - L2 + Rosso Askja
- SC05 - L2 + Azzurro Naxos
- SC08 - U9 + Blu Fes
- SC11 - SN + Grigio Efeso
- SC03 - L2 + Nero Ingo
- SC06 - M4 + Bianco Malè
- SC09 - BR2 + Castoro Ottawa
- SC12 - SN + Verde Comodoro

Alcune doghe non sono disponibili per tutti i modelli di serrandine e non sono disponibili in tutte le finiture
Some slats are not available for all rolling shutter models and are not available in all finishing

PREVERNICIATI PREPAINTED

- U5 - alumatt
- M4 - matt white
- U7 - olive green
- U6 - inox
- L2 - matt black
- U9 - anthracite
- M3 - polished white
- U8 - brushed bronze








TS1 TopSystem

FBS9211



misure in mm - dimensions in mm

| | |
|--|-----------------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm 240 x 162 mm |




doghe in alluminio
aluminium slats




installazione rapida
fast installation

Lo storico Aluroll Kit è ancora attuale in mobili con profondità ridotta. Una delle caratteristiche da sempre apprezzate di questo modello sono i profili decori con spessore sporgente di soli 4 mm.

The iconic and reliable Aluroll Kit used in cabinets with reduced depth. One of the most appreciated features of this model are the guide and top profiles with a 4 mm thickness.




Kit TopSystem FBS9211*



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS2008 + FBS2029 (supporto support)

(B) PROFILO GUIDA GUIDE PROFILE DECORO DECORATIVE PROFILE



FBS2014 + FBS6501
FBS2030 + FBS2028 (supporto support)

(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE




FBS2011 + FBS2031 (angolare angular)
con serratura:
FBS2010 + FBS7547 + FBS2031 (angolare angular)

* la doga FBS2140 non è disponibile per Kit TS1
FBS2140 slat is not available for the TS1 kit

TS2 TopSystem

FBS9227



misure in mm - dimensions in mm

| | |
|--|--------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16/18/19 mm |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 290 x 164 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats




installazione rapida
fast installation

L'iconico Aluroll Kit con semplice installazione su ripiano. Precursore di tutti i nostri sistemi a cassetta con compensatore celebre per la sua affidabilità e longevità.

The iconic and reliable Aluroll Kit with easy installation on shelf support. Forerunner of all cassette systems with weight compensator, famous for its reliability and long life.




Kit TopSystem FBS9227



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 + FBS7553 (sottotop under top)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
(pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
(pannelli da panels from 16 mm)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7512 + FBS2010 (maniglia handle)

TS3 TopSystem

FBS9227 Minimal



misure in mm - dimensions in mm

| | |
|--|---------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 300 x 164 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats




installazione rapida
fast installation

Le stesse caratteristiche dello storico TopSystem in una versione dal design Minimal dalle guide sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same characteristics as the iconic TopSystem in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.




Kit TopSystem FBS9227 Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


(C) PROFILO CON MANIGLIA
PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

TS4 TopSystem

FBS9226



misure in mm - dimensions in mm

| | |
|--|--------------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16/18/19 mm |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 330 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| MASSIMA SUPERFICIE H x L maximum surface H x W | 2,7 m ² |



doghe in alluminio
aluminium slats




installazione rapida
fast installation




grande formato
large size

Il nostro sistema manuale più potente studiato per chiudere vani larghi con una superficie sino a 2,7 metri quadrati. Ideale per nicchie a muro, lavanderie e cucine compatte.

Our most powerful manual system is designed to close large niches with an area up to 2.7 square meters. Ideal for wall niches, laundry towers and compact kitchens.




Kit TopSystem FBS9226



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 + FBS7553 (sottotop under top)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
(pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
(pannelli da panels from 16 mm)


(C) PROFILO CON MANIGLIA
PROFILE WITH HANDLE



FBS7512 + FBS2010 (maniglia handle)

TS5 TopSystem

FBS9226 Minimal



misure in mm - dimensions in mm

| | |
|--|--------------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 340 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| MASSIMA SUPERFICIE H x L maximum surface H x W | 2,7 m ² |



doghe in alluminio
aluminium slats




installazione rapida
fast installation




grande formato
large size

Le stesse caratteristiche di Top System 4 in una versione Minimal dai fianchi sottili che lasciano a vista le guide del mobile. Ideale per pannelli spessi e per installazioni di più serrande affiancate.

The same characteristics as Top System 4 in a Minimal version with thin lateral profiles that leave panels visible. Ideal for thick panels and for installing two or more shutters side by side.




Kit TopSystem FBS9226 Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

TS6 Maxi TopSystem

FBS9226



misure in mm - dimensions in mm

| | |
|--|--------------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16/18/19 mm |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 330 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| MASSIMA SUPERFICIE H x L maximum surface H x W | 2,7 m ² |



doghe in alluminio
aluminium slats




installazione rapida
fast installation




grande formato
large size

Il nostro sistema manuale più potente studiato per chiudere vani alti con una superficie sino a 2,7 metri quadrati. Ideale per nicchie a muro, lavanderie e cucine compatte.

Our most powerful manual system is designed to close tall niches with an area up to 2.7 square meters. Ideal for wall niches, laundry towers and compact kitchens.




Kit Maxi TopSystem FBS9226



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 + FBS7553 (sottotop under top)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
(pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
(pannelli da panels from 16 mm)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7512 + FBS2010 (maniglia handle)

TS7 Maxi TopSystem

FBS9226 Minimal



misure in mm - dimensions in mm

| | |
|--|--------------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 340 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| MASSIMA SUPERFICIE H x L maximum surface H x W | 2,7 m ² |



doghe in alluminio
aluminium slats




installazione rapida
fast installation




grande formato
large size

Le stesse caratteristiche di Top System 6 in una versione Minimal dalle guide sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrande affiancate.

The same characteristics as Top System 6 in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.




Kit Maxi TopSystem FBS9226 Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

TOP SYSTEM

Modulo d'ordine order sheet



MODELLO MODEL TS1 TS2 TS3 TS4 TS5 TS6 TS7

| A | B | C | D | QUANTITY |
|---|---|---|---|----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |


Misure esterne mobile Cabinet external dimensions

Compilare il presente modulo in tutte le sue parti per una corretta registrazione dell'ordine
Fill in this sheet in full for a correct processing of the order


Varianti options



standard




wind mix




wind


N.B. Per i Kit con doghe wind microforate viene usato il compensatore FBS 9294-C
For Kits with wind microperforated slats, the FBS 9294-C compensator is used.




FBS2020




FBS2125




FBS2000




FBS2025




FBS2140




FBS2142




box senza base
box without base




box con base
box with base



FBS2010
maniglia intermedia extra
extra intermediate handle



FBS2060
profilo coprivity
screw cover profile



FBS7540
serratura lock

Finitura Finishing

ANODIZZATI ANODIZED

- A - brushed
- B2 - mill inox
- RA - copper
- A2 - inox brushed
- BR2 - matt bronze
- B3 - mill gold
- B - mill finish
- SN - sat nat

SOFT COLLECTION (FBS2142)

- SC01 - L2 + Giallo Kashmir
- SC04 - L2 + Verde Brac
- SC07 - U9 + Grigio Londra
- SC10 - BR2 + Rosso Jaipur
- SC02 - L2 + Rosso Askja
- SC05 - L2 + Azzurro Naxos
- SC08 - U9 + Blu Fes
- SC11 - SN + Grigio Efeso
- SC03 - L2 + Nero Ingo
- SC06 - M4 + Bianco Malè
- SC09 - BR2 + Castoro Ottawa
- SC12 - SN + Verde Comodoro

Alcune doghe non sono disponibili per tutti i modelli di serrandine e non sono disponibili in tutte le finiture
Some slats are not available for all rolling shutter models and are not available in all finishing

PREVERNICIATI PREPAINTED

- U5 - alumatt
- M4 - matt white
- U7 - olive green
- U6 - inox
- L2 - matt black
- U9 - anthracite
- M3 - polished white
- U8 - brushed bronze








SP1 SpecialSystem

FBS9199 Minimal



misure in mm - dimensions in mm

| | |
|--|---------------|
| SPESORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 370 x 86 mm |



installazione rapida
fast installation



minimo ingombro
minimum encumbrance




doghe in alluminio
aluminium slats

Il sistema di raccolta studiato per mobili a altezza ridotta. Questa pista, disponibile solo nella versione Minimal, permette di sfruttare al massimo l'altezza interna al mobile.

The coiling system designed for reduced height wall units. This box, available only in the Minimal version, allows you to make the most of the height inside the cabinet.



Kit SpecialSystem FBS9199 Minimal




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

A PROFILO TOP TOP PROFILE MINIMAL




FBS7556

B PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)

C PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL




FBS7547 + FBS2010 (maniglia handle)

* la doga FBS2140 non è disponibile per Kit SP1
FBS2140 slat is not available for the SP1 kit

SP2 SpecialSystem

FBS9200 Minimal



misure in mm - dimensions in mm

| | |
|--|---------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 70 x 70 mm |



installazione rapida
fast installation




minimo ingombro
minimum encumbrance




doghe in alluminio
aluminium slats

Un sistema tradizionale ideale per profondità ridotte grazie allo scorrimento posteriore. Rispetto ai kit con cassetta di raccolta richiede più attenzione durante l'installazione ma da grande flessibilità per potersi adattare ad ogni tipo di mobile.

A traditional system sliding at the back of the cabinet. Compared to cassette kits, it requires a little more attention during installation but gives great flexibility to adapt to any type of application.



Kit SpecialSystem FBS9200* Minimal




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)

(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL




FBS7547 + FBS2010 (maniglia handle)

* la doga FBS2140 non è disponibile per Kit SP2
FBS2140 slat is not available for the SP2 kit

SP3 SpecialSystem

FBS9207 Minimal



misure in mm - dimensions in mm

SPESSORE PANNELLO
BOARD THICKNESS

qualsiasi/any



installazione rapida
fast installation

INGOMBRO INTERNO PISTA
INTERNAL COILER DIMENSIONS

95 x 95 mm




minimo ingombro
minimum encumbrance




doghe in alluminio
aluminium slats

Un sistema tradizionale con curve e profili guida. Rispetto ai kit con cassetta di raccolta richiede più attenzione durante l'installazione ma da grande flessibilità per potersi adattare ad ogni tipo di mobile.

A traditional system with curves and guide profiles. Compared to the cassette kits, it requires more attention during installation but gives great flexibility to adapt to any type of application.



Kit SpecialSystem FBS9207 Minimal




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

SP4 SpecialSystem

FBS9201 Inset



misure in mm - dimensions in mm

SPESSORE PANNELLO
BOARD THICKNESS

qualsiasi/any

INGOMBRO INTERNO PISTA
INTERNAL COILER DIMENSIONS

70 x 70 mm



installazione rapida
fast installation




minimo ingombro
minimum encumbrance




doghe in alluminio
aluminium slats

In questa versione del tradizionale Special System le curve e profili guida sono incassati all'interno dei pannelli del mobile riducendo ulteriormente lo spazio occupato dal sistema.

In this version of the traditional Special System, curves and guide profiles are recessed into the furniture panels, further reducing the space required by the mechanism.



Kit Special System FBS9201* Inset




*Per Kit di larghezza superiore a mm 1099 viene usato doppio compensatore
Double weight compensator is used for kits wider than 1099 mm

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS6501

(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

* la doga FBS2140 non è disponibile per Kit SP4
FBS2140 slat is not available for the SP4 kit








HR1 BoxMilano

Horizontal



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 300 x 134 mm |
| ARRETRAMENTO RIPANI SHELVES SETBACK | 50 mm |



doghe in alluminio
aluminium slats




installazione rapida
fast installation



Le stesse caratteristiche del celebre BoxMilano in una versione con movimento orizzontale.
La cassetta è montata ai lati del mobile a sinistra o a destra in base alle vostre esigenze.

The same characteristics as the famous BoxMilano in a version with horizontal movement.

The box is mounted on the sides of the cabinet either on the left side or right side according to your needs.



Kit BoxMilano Horizontal




Plastica riciclabile
Recyclable plastic

100% Alluminio
100% Aluminium


Componenti components

misure in mm - dimensions in mm


(A) PROFILO TOP TOP PROFILE



(B) PROFILO GUIDA GUIDE PROFILE



(C) PROFILO CON MANIGLIA
PROFILE WITH HANDLE




FBS7518 (pannelli da *panels from* 18 - 19 mm)
FBS7515 (pannelli da *panels from* 16 mm)

FBS7519 (pannelli da *panels from* 18 - 19 mm)
FBS7516 (pannelli da *panels from* 16 mm)

FBS7512 + FBS2010 (maniglia *handle*)

HR2 BoxMilano Horizontal

Minimal



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi / any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 320 x 134 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats





installazione rapida
fast installation

Le stesse caratteristiche del modello standard in una versione Minimal dalle guide sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same features as the standard model in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.



Kit BoxMilano Horizontal Minimal




Plastica riciclabile
Recyclable plastic

100% Alluminio
100% Aluminium


Componenti components

misure in mm - dimensions in mm


(A) PROFILO TOP TOP PROFILE MINIMAL



(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL




FBS7556

FBS7554 + FBS2063 (decoro decor)

FBS7547 + FBS2010 (maniglia handle)

HR3 BoxMilano Horizontal Twins



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 300 x 134 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats





installazione rapida
fast installation

Studiato per mobili con larghezze sino a 3 metri sfrutta la capacità di raccolta di due cassette indipendenti montate a sinistra e destra del mobile permettendo l'apertura simmetrica.

Designed for cabinets with widths up to 3 meters, it takes full advantage of the coiling capacity movement of two independent boxes, mounted on the left and right of the cabinet, allows symmetrical opening.



Kit BoxMilano Horizontal Twins




Plastica riciclabile
Recyclable plastic

100% Alluminio
100% Aluminium


Componenti components

misure in mm - dimensions in mm


(A) PROFILO TOP TOP PROFILE



(B) PROFILO GUIDA GUIDE PROFILE



(C) PROFILO CON MANIGLIA
PROFILE WITH HANDLE




FBS7518 (pannelli da panels from 18 - 19 mm)
FBS7515 (pannelli da panels from 16 mm)

FBS7519 (pannelli da panels from 18 - 19 mm)
FBS7516 (pannelli da panels from 16 mm)

FBS7512 + FBS2010 (maniglia handle)

HR4 BoxMilano Horizontal *Twins Minimal*



misure in mm - dimensions in mm



| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi / any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 300 x 134 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |

Le stesse caratteristiche del modello standard in una versione Minimal dritte guide sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same features as the standard model in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.



Kit BoxMilano Horizontal Twins Minimal




Plastica riciclabile
Recyclable plastic

100% Alluminio
100% Aluminium

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL




FBS7554 + FBS2063 (decoro decor)

(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

HR5 GlassMilano Horizontal Minimal



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 302 x 186 mm |
| ARRETRAMENTO RIPANI SHELVES SETBACK | 50 mm |
| ALTEZZE DISPONIBILI AVAILABLE HEIGHTS <small>misure fuori standard su richiesta non-standard dimensions upon request</small> | 450 or 600 mm |




doghe in alluminio
aluminium slats





installazione rapida
fast installation

Una specifica flangia permette l'utilizzo di doghe in vetro temperato con spessore di 4mm che garantiscono non solo un bellissimo effetto estetico ma soprattutto grande sicurezza.

A specific coiling flange allows the use of tempered glass slats with a thickness of 4mm which guarantee not only an aesthetic effect but above all great safety.



Kit Glass Milano Horizontal Minimal




- Vetro
Glass
- Plastica riciclabile
Recyclable plastic
- 100% Alluminio
100% Aluminum

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)
FBS7512 + FBS7591 (maniglia pull handle)

HORIZONTAL

Modulo d'ordine order sheet




MODELLO MODEL HR1 HR2 HR3 HR4 HR5

| A | B | C | D | QUANTITY |
|---|---|---|---|----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |


Misure esterne mobile Cabinet external dimensions

Compilare il presente modulo in tutte le sue parti per una corretta registrazione dell'ordine
Fill in this sheet in full for a correct processing of the order


Varianti options




standard




wind mix




N.B. Per i Kit con doghe wind microforate viene usato il compensatore FBS 9294-C
For Kits with wind microperforated slats, the FBS 9294-C compensator is used.




FBS2020




FBS2125




FBS2000




FBS2025




FBS2140




FBS2142




box senza base
box without base



box con base
box with base




FBS2060
profilo copritivi
screw cover profile



FBS7540
serratura lock

Finiture doghe vetro Glass slats finishing



4 mm vetro temprato
4mm tempered glass



V00 - clear



V01 - acid etched



V02 - white



V03 - black



V05 - anthracite

Finitura decori e doghe Slats and decorative profiles finishing

ANODIZZATI ANODIZED

A - brushed

B2 - mill inox

RA - copper

A2 - inox brushed

BR2 - matt bronze

B3 - mill gold

B - mill finish

SN - sat nat

PREVERNICIATI PREPAINTED

U5 - alumatt

M4 - matt white

U7 - olive green

U6 - inox

L1 - polished black

U9 - anthracite

M3 - polished white

L2 - matt black

U8 - brushed bronze

SOFT COLLECTION (FBS2142)

SC01 - L2 + Giallo Kashmir

SC04 - L2 + Verde Brac

SC07 - U9 + Grigio Londra

SC10 - BR2 + Rosso Jaipur

SC02 - L2 + Rosso Askja

SC05 - L2 + Azzurro Naxos

SC08 - U9 + Blu Fes

SC11 - SN + Grigio Efeso

SC03 - L2 + Nero Ingo

SC06 - M4 + Bianco Malè

SC09 - BR2 + Castoro Ottawa

SC12 - SN + Verde Comodoro

Finiture disponibili per i profili decorativi delle serrandine in vetro Finishes available for decorative glass shutter profiles
Alcune doghe non sono disponibili per tutti i modelli di serrandine e non sono disponibili in tutte le finiture

74 Some slats are not available for all rolling shutter models and are not available in all finishing








MR1 Motoroll

FBS9211



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 240 x 162 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |



radiocomando
remote control




grande formato
large size




doghe in alluminio
aluminium slats

La praticità della serrandina con la comodità dell'automazione. Aperture e chiusure sono attivate con il radiocomando disponibile anche nella versione wireless a parete. Le serrandine sono dotate di sistema di sicurezza antischiaffiamento.

The practicality of the roller shutter with the convenience of automation. Openings and closings are activated with the remote control also available in the wireless wall mounted version. The shutters are equipped with an anti-crushing safety system.




Kit Motoroll FBS9211



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 + FBS7553 (sottotop under top)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
(pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
(pannelli da panels from 16 mm)

(C) PROFILO TERMINALE BOTTOM PROFILE




FBS7512

* la doga FBS2140 non è disponibile per Kit MR1
FBS2140 slat is not available for the MR1 kit

MR2 Motoroll

FBS9227




misure in mm - dimensions in mm

| | |
|--|---------------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16/18/19 mm |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 290 x 164 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |



radiocomando
remote control




grande formato
large size




doghe in alluminio
aluminium slats

Le stesse caratteristiche del modello standard in una versione Minimal dai fianchi sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrande affiancate.

The same features as the standard model in a Minimal version with thin lateral profiles that leave the furniture panels visible. Ideal for thick panels and for installing two or more shutters side by side.




Kit Motoroll FBS9227



Componenti components


misure in mm - dimensions in mm

(A) PROFIL TOP TOP PROFILE




FBS7518 + FBS7553 (sottotop under top)

(B) PROFIL GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
(pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
(pannelli da panels from 16 mm)


(C) PROFIL TERMINALE BOTTOM PROFILE



FBS7512

MR3 Motoroll

FBS9226



misure in mm - dimensions in mm

| | |
|--|------------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 330 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| MASSIMA SUPERFICIE H x L maximum surface H x W | 4 m ² |



radiocomando
remote control




grande formato
large size




doge in alluminio
aluminium slats

La nostra serrandina più grande. Grazie al potente motore che garantisce un movimento fluido e preciso si arriva a chiudere vani con una superficie sino a 4 metri quadrati. Ideale per nicchie a muro e cucine compatte.

Our largest roller shutter. Thanks to the powerful motor that guarantees a smooth and precise movement, it is possible to close compartments with a surface up to 4 square meters. Ideal for wall niches and compact kitchens.




Kit Motoroll FBS9226



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 + FBS7553 (sottotop under top)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
(pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
(pannelli da panels from 16 mm)


(C) PROFILO TERMINALE BOTTOM PROFILE



FBS7512

MR4 Motoroll

FBS9226 Minimal



misure in mm - dimensions in mm

| | |
|--|------------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO FLANGIA INTERNAL FLANGE DIMENSIONS | 340 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| MASSIMA SUPERFICIE H x L maximum surface H x W | 4 m ² |



radiocomando
remote control




grande formato
large size




doghe in alluminio
aluminium slats

Le stesse caratteristiche del modello standard in una versione Minimal dalle guide sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same features as the standard model in a Minimal version with thin sides that leave the sides of the cabinet visible. Ideal for thick panels and for installing two or more shutters side by side.




Kit Motoroll FBS9226 Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547

MOTOROLL

Modulo d'ordine order sheet




MODELLO MODEL MR1 MR2 MR3 MR4

| A | B | C | D | QUANTITY |
|---|---|---|---|----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |


Misure esterne mobile Cabinet external dimensions

Compilare il presente modulo in tutte le sue parti per una corretta registrazione dell'ordine
Fill in this sheet in full for a correct processing of the order


Varianti options



standard




wind mix




wind


N.B. Per i Kit con doghe wind microforate viene usato il compensatore FBS 9294-C
For Kits with wind microperforated slats, the FBS 9294-C compensator is used.




FBS2020




FBS2125




FBS2000




FBS2025




FBS2140




FBS2142




box senza base
box without base




box con base
box with base



FBS2060
profilo copritivi
screw cover profile



telecomando
remote control



telecomando fisso
fixed remote control

Finitura Finishing

ANODIZZATI ANODIZED

- | | | |
|---|---|--------------------------------------|
| <input type="radio"/> A - brushed | <input type="radio"/> B2 - mill inox | <input type="radio"/> RA - copper |
| <input type="radio"/> A2 - inox brushed | <input type="radio"/> BR2 - matt bronze | <input type="radio"/> B3 - mill gold |
| <input type="radio"/> B - mill finish | <input type="radio"/> SN - sat nat | |

PREVERNICIATI PREPAINTED

- | | | |
|---|---|--|
| <input type="radio"/> U5 - alumatt | <input type="radio"/> M4 - matt white | <input type="radio"/> U7 - olive green |
| <input type="radio"/> U6 - inox | <input type="radio"/> L2 - matt black | <input type="radio"/> U9 - anthracite |
| <input type="radio"/> M3 - polished white | <input type="radio"/> U8 - brushed bronze | |

SOFT COLLECTION (FBS2142)

- | | | | |
|--|---|---|--|
| <input type="radio"/> SC01 - L2 + Giallo Kashmir | <input type="radio"/> SC04 - L2 + Verde Brac | <input type="radio"/> SC07 - U9 + Grigio Londra | <input type="radio"/> SC10 - BR2 + Rosso Jaipur |
| <input type="radio"/> SC02 - L2 + Rosso Askja | <input type="radio"/> SC05 - L2 + Azzurro Naxos | <input type="radio"/> SC08 - U9 + Blu Fes | <input type="radio"/> SC11 - SN + Grigio Efeso |
| <input type="radio"/> SC03 - L2 + Nero Ingo | <input type="radio"/> SC06 - M4 + Bianco Malè | <input type="radio"/> SC09 - BR2 + Castoro Ottawa | <input type="radio"/> SC12 - SN + Verde Comodoro |


Alcune doghe non sono disponibili per tutti i modelli di serrandine e non sono disponibili in tutte le finiture
Some slats are not available for all rolling shutter models and are not available in all finishing







GM1 GlassMilano



misure in mm - dimensions in mm

| | |
|---|-----------------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16 / 18 / 19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 302 x 186 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| LARGHEZZE DISPONIBILI AVAILABLE WIDTHS misure fuori standard su richiesta non-standard dimensions upon request | 450 - 600 - 900 mm |




installazione rapida
fast installation




4 mm vetro temprato
4 mm tempered glass

Nei modelli Glass Milano una specifica flangia permette l'utilizzo di doghe in vetro temperato con spessore di 4mm che garantiscono non solo un bellissimo effetto estetico ma soprattutto grande sicurezza. Possibilità di richiesta di misure e colori delle doghe in vetro personalizzate.

In the Glass Milano models a specific flange allows the use of tempered glass slats with a thickness of 4mm which guarantee not only a beautiful aesthetic effect but above all great safety. Possibility of requesting custom sizes and colors of the glass slats.




Kit GlassMilano



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 (pannelli da panels from 18 - 19 mm)
FBS7515 (pannelli da panels from 16 mm)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
 (pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
 (pannelli da panels from 16 mm)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE



FBS7547 + FBS2010 (maniglia handle)
FBS7512 + FBS7591 (maniglia pull handle)

GM2 GlassMilano

Minimal



misure in mm - dimensions in mm

| | |
|---|-----------------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 330 x 186 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| LARGHEZZE DISPONIBILI AVAILABLE WIDTHS misure fuori standard su richiesta non-standard dimensions upon request | 450 - 600 - 900 mm |




installazione rapida
fast installation





4 mm vetro temprato
4 mm tempered glass

Le stesse caratteristiche del modello standard in una versione Minimal dalle guide sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same features as the standard model in a Minimal version with thin sides that leave the sides of the cabinet visible. Ideal for thick panels and for installing two or more shutters side by side.



Kit GlassMilano Minimal




- Vetro
Glass
- Plastica riciclabile
Recyclable plastic
- 100% Alluminio
100% Aluminium

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2062 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)
FBS7512 + FBS7591 (maniglia pull handle)

GM3 MotorGlass

FBS9226



misure in mm - dimensions in mm

| | |
|---|---------------|
| SPESSORE PANNELLO BOARD THICKNESS | 16/18/19 mm |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 330 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| LARGHEZZE DISPONIBILI AVAILABLE WIDTHS misure fuori standard su richiesta non-standard dimensions upon request | 600 or 900 mm |



installazione rapida
fast installation




4 mm vetro temprato
4 mm tempered glass




radiocomando
remote control

La praticità della serrandina con la comodità dell'automazione. Aperture e chiusure sono attivate con il pratico radiocomando disponibile anche nella versione wireless a parete. Le serrandine sono dotate di sistema di sicurezza antischiacciamento.

The practicality of the roller shutter with the convenience of automation. Openings and closings are activated with the remote control also available in the wireless wall mounted version. The shutters are equipped with an anti-crushing safety system.




Kit MotorGlass FBS9226



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE




FBS7518 + FBS7553 (sottotop under top)

(B) PROFILO GUIDA GUIDE PROFILE



FBS7558 + FBS7555 (decoro decor)
(pannelli da panels from 18/19 mm)
FBS7551 + FBS7555 (decoro decor)
(pannelli da panels from 16 mm)


(C) PROFILO TERMINALE BOTTOM PROFILE



FBS7512

GM4 MotorGlass

FBS9226 Minimal



misure in mm - dimensions in mm

| | |
|---|---------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 340 x 224 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| LARGHEZZE DISPONIBILI AVAILABLE WIDTHS misure fuori standard su richiesta non-standard dimensions upon request | 600 or 900 mm |



installazione rapida
fast installation




4 mm vetro temprato
4 mm tempered glass





radiocomando
remote control

Le stesse caratteristiche del modello standard in una versione Minimal dalle guide sottili che lasciano a vista i fianchi del mobile. Ideale per pannelli spessi e per installazioni di più serrandine affiancate.

The same features of the standard model in a Minimal version with thin sides that leave the sides of the cabinet visible. Ideal for thick panels and for installing two or more shutters side by side.



Kit MotorGlass Minimal FBS9226



Vetro
Glass


Plastica riciclabile
Recyclable plastic

100% Alluminio
100% Aluminum

Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2062 (decoro decor)

(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7512








JS1 JollySystem Alu

Minimal



misure in mm - dimensions in mm

| | |
|--|-----------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi / any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 305 x 122 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |




doghe in alluminio
aluminium slats




installazione rapida
fast installation

Una pista di raccolta adattabile ad ogni tipologia di doga, vetro incluso. Anche l'aggiunta della motorizzazione, non richiedendo la fresata passacavo sul pannello del mobile, diventa più semplice.

A dedicated coiler compatible with any kind of slats in our range, glass included. The automation becomes easier to add since it does not require the grooving on the cabinet's panel.




Kit JollySystem Alu Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2063 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

JS2 JollySystem Glass

Minimal



misure in mm - dimensions in mm

| | |
|---|-----------------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 305 x 122 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |
| LARGHEZZE DISPONIBILI AVAILABLE WIDTHS misure fuori standard su richiesta non-standard dimensions upon request | 450 - 600 - 900 mm |




installazione rapida
fast installation




4 mm vetro temprato
4 mm tempered glass

Una pista di raccolta adattabile ad ogni tipologia di doga, vetro incluso. Anche l'aggiunta della motorizzazione, non richiedendo la fresata passacavo sul pannello del mobile, diventa più semplice.

A dedicated coiler compatible with any kind of slats in our range, glass included. The automation becomes easier to add since it does not require the grooving on the cabinet's panel.




Kit JollSystem Glass Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL




FBS7554 + FBS2062 (decoro decor)

(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547 + FBS2010 (maniglia handle)

JS3 JollySystem Motoroll Minimal



misure in mm - dimensions in mm

| | |
|--|---------------|
| SPESORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 305 x 122 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |



radiocomando
remote control




installazione rapida
fast installation




doghe in alluminio
aluminium slats

Una pista di raccolta adattabile ad ogni tipologia di doga, vetro incluso. Anche l'aggiunta della motorizzazione, non richiedendo la fresata passacavo sul pannello del mobile, diventa più semplice.

A dedicated coiler compatible with any kind of slats in our range, glass included. The automation becomes easier to add since it does not require the grooving on the cabinet's panel.




Kit JollySystem Motoroll Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2062 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547

JS4 JollySystem Motor Glass

Minimal




misure in mm - dimensions in mm

| | |
|--|---------------|
| SPESSORE PANNELLO BOARD THICKNESS | qualsiasi/any |
| INGOMBRO INTERNO PISTA INTERNAL COILER DIMENSIONS | 305 x 122 mm |
| ARRETRAMENTO RIPIANI SHELVES SETBACK | 50 mm |



installazione rapida
fast installation




4 mm vetro temprato
4 mm tempered glass




radiocomando
remote control

Una pista di raccolta adattabile ad ogni tipologia di doga, vetro incluso. Anche l'aggiunta della motorizzazione, non richiedendo la fresa passacavo sul pannello del mobile, diventa più semplice.

A dedicated coiler compatible with any kind of slats in our range, glass included. The automation becomes easier to add since it does not require the grooving on the cabinet's panel.




Kit JollySystem Motor Glass Minimal



Componenti components


misure in mm - dimensions in mm

(A) PROFILO TOP TOP PROFILE MINIMAL




FBS7556

(B) PROFILO GUIDA GUIDE PROFILE MINIMAL



FBS7554 + FBS2062 (decoro decor)


(C) PROFILO CON MANIGLIA PROFILE WITH HANDLE MINIMAL



FBS7547

JOLLY SYSTEM

Modulo d'ordine order sheet



MODELLO MODEL

JS1

JS2

JS3


JS4

| A | B | C | D | QUANTITY |
|---|---|---|---|----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |


Misure esterne mobile Cabinet external dimensions

Compilare il presente modulo in tutte le sue parti per una corretta registrazione dell'ordine
Fill in this sheet in full for a correct processing of the order


Varianti options




standard




wind mix




N.B. Per i Kit con doghe wind microforate viene usato il compensatore FBS 9294-C
For Kits with wind microperforated slats, the FBS 9294-C compensator is used.




FBS2020




FBS2125




FBS2000




FBS2025




FBS2140




FBS2142




box senza base
box without base




box con base
box with base



FBS2060
profilo copritivi
screw cover profile




FBS7540
serratura lock



telecomando fisso
fixed remote control

Finiture doghe vetro Glass slats finishing



4 mm vetro temprato
4mm tempered glass



V00 - clear



V01 - acid etched



V02 - white



V03 - black



V05 - anthracite

Finitura decori e doghe Slats and decorative profiles finishing

ANODIZZATI ANODIZED

A - brushed

A2 - inox brushed

B - mill finish

B2 - mill inox

BR2 - matt bronze

SN - sat nat

RA - copper

B3 - mill gold

PREVERNICIATI PREPAINTED

U5 - alumatt

U6 - inox

M3 - polished white

M4 - matt white

L1 - polished black

L2 - matt black

U7 - olive green

U9 - anthracite

U8 - brushed bronze

SOFT COLLECTION (FBS2142)

SC01 - L2 + Giallo Kashmir

SC02 - L2 + Rosso Askja

SC03 - L2 + Nero Ingo

SC04 - L2 + Verde Brac

SC05 - L2 + Azzurro Naxos

SC06 - M4 + Bianco Malè

SC07 - U9 + Grigio Londra

SC08 - U9 + Blu Fes

SC09 - BR2 + Castoro Ottawa

SC10 - BR2 + Rosso Jaipur

SC11 - SN + Grigio Efeso

SC12 - SN + Verde Comodoro

Finiture disponibili per i profili decorativi delle serrandine in vetro Finishes available for decorative glass shutter profiles

Alcune doghe non sono disponibili per tutti i modelli di serrandine e non sono disponibili in tutte le finiture

Some slats are not available for all rolling shutter models and are not available in all finishing



FINITURE FINISHING

ANODIZZATI ANODIZED



A - brushed



A2 - inox brushed



B - mill finish



B2 - mill inox



BR2 - matt bronze



SN - sat nat

PREVERNICIATI PREPAINT



RA - copper



B3 - mill gold




U5 - alumatt



U6 - inox



M3 - polished white



M4 - matt white



L1 - polished black



L2 - matt black



U8 - brushed bronze




U9 - anthracite



U7 - olive green

SOFT COLLECTION



SC01

Doga slat
L2 - matt black


Inserto insert
FENIX NTM®
Giallo Kashmir



SC02

Doga slat
L2 - matt black

Inserto insert
FENIX NTM®
Rosso Askja



SC03

Doga slat
L2 - matt black


Inserto insert
FENIX NTM®
Nero Ingo



SC04

Doga slat
L2 - matt black

Inserto insert
FENIX NTM®
Verde Brac



SC05

Doga slat
L2 - matt black

Inserto insert
FENIX NTM®
Azzurro Naxos



SC06

Doga slat
M4 - matt white


Inserto insert
FENIX NTM®
Bianco Malé



SC07

Doga slat
U9 - anthracite

Inserto insert
FENIX NTM®
Grigio Londra



SC08

Doga slat
U9 - anthracite

Inserto insert
FENIX NTM®
Blu Fes



SC09

Doga slat
BR2 - matt bronze

Inserto insert
FENIX NTM®
Castoro Ottawa



SC10

Doga slat
BR2 - matt bronze

Inserto insert
FENIX NTM®
Rosso Jaipur



SC11

Doga slat
SN - sat nat

Inserto insert
FENIX NTM®
Grigio Efeso



SC12

Doga slat
SN - sat nat

Inserto insert
FENIX NTM®
Verde Comodoro

VETRO GLASS



V00 - clear



V01 - acid etched



V02 - white



V03 - black



V05 - anthracite

Alcune varianti di doga non sono disponibili in tutte le finiture Some type of slat are not available in all the finishing
Colore U8 disponibile solo per doghe FBS2000 e FBS2025 Colour U8 only available for FBS2000 and FBS2025 slats

SPECIFICHE TECNICHE TECHNICAL DETAILS

SOFT COLLECTION Design Gio Tirotto

Una collezione dinamica, eccentrica e grafica caratterizzata dall'inserto in FENIX NTM® nella serrandina più conosciuta del catalogo FBS. Innovazione e tecnologia creano una nuova gamma di finiture che ampliano la proposta FBS per l'ambiente cucina e non solo.

A dynamic, eccentric and graphic collection with the FENIX NTM® insert in the best known rolling shutter in FBS catalogue. Innovation and technology create a new range of finishes that expand FBS offer for the kitchen and beyond.

ALLUMINIO ANODIZZATO ANODIZED ALUMINIUM

Le accattivanti finiture anodizzate derivano da materie prime e da lavorazioni eccellenti che ne garantiscono la qualità e durata nel tempo. Sono ideali per gli ambienti contemporanei dalle linee essenziali poiché si integrano perfettamente con i materiali innovativi e moderni nonché agli elettrodomestici.

The appealing anodized finishing come from excellent raw materials and processing which guarantee their quality and duration in time. They are ideal for contemporary and essential contexts because they match innovative and modern materials perfectly as well as electrical appliances.

ALLUMINIO PRE-VERNICIATO PRE-PAINTED ALUMINIUM


La gamma dei toni pre-vernicati spazia dai colori più neutri come il bianco e il nero, che si prestano ad abbinamenti più classici, fino alle tonalità simil-anodizzate per un interior design contemporaneo e ricercato.

The range of pre-painted shades ranges from more neutral colours such as white and black, suitable for more classic combinations, to simil-anodised finishes for a contemporary and sophisticated interior design.

ALLUMINIO MICROFORATO MICROPERFORATED ALUMINIUM

Questa originale lavorazione di micro-foratura eseguita sui precedenti materiali apporta notevoli e funzionali vantaggi. Favorisce il riciclo di aria per disperdere ad esempio il calore generato dall'utilizzo di elettrodomestici e gli odori o ancora consentire il passaggio di luce e di raggi infrarossi per controllare dispositivi elettronici mediante radiocomando.

This original micro-perforation of the above-mentioned material brings remarkable and functional advantages. It eases air-circulation to dissipate heat caused by using appliances and smells, or again allows the passage of light and infrared rays to control electronic devices by remote.



N.B. Per i Kit con doghe wind microforate viene usato il compensatore FBS 9294-C
For Kits with wind microporofrered slats, the FBS 9294-C compensator is used.



passaggio raggi IR
IR passage



passaggio luce
light passage



ricircolo aria
air circulation

SCOPRI TUTTI I NOSTRI PRODOTTI SU
DISCOVER OUR FULL PRODUCT RANGE AT

fbsprofilati.it

COPYRIGHT 2022
FBSProfilati srl

Edizione 10/2022



Il presente catalogo è di proprietà
di FBSProfilati S.r.l. Tutti i diritti riservati.
Sono vietate riproduzione e alterazione.
Illustrazioni e dati contenuti in questo catalogo
hanno valore indicativo. Per una corretta installazione
fare riferimento ai manuali.

*This catalogue is property of FBSProfilati S.r.l.
All rights reserved.
Reproduction and Alterations are forbidden.
All illustrations and information in this catalogue
are indicative. For a correct installation please refer
to the assembly instruction manuals.*



PROFILATI ITALIANI

FBSProfilati srl

**Via Edison, 251
20019 Settimo Milanese MI - Italia**

phone: +39 024564768 | +39 0248916411

info@fbsprofilati.it

fbsprofilati.it